



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: P920-006

### 6-inch Internal Power Y Splitter Dual Drive Cable (4Pin Male to 2x 4Pin SOK)

#### Highlights

- An assortment of high quality internal cables
- Includes IDE and EIDE ribbon cables, power cables and CD-ROM cable assemblies



#### Description

Your power problems are solved with this 6-inch internal power splitter from Tripp Lite. This 2-drive cable turns one power supply internal drive lead into two thereby providing an additional power source for one more internal component. Perfect for the user with multiple applications.

#### System Requirements

- One power supply internal drive power lead

#### Package Includes

- 6-in. Int Power Y Splitter Dual Drive 4Pin Male /2 x 4Pin Socket

#### Features

- Turns one power supply internal drive lead into two

#### Specifications

OVERVIEW	
Intended Application	Connecting Peripherals
Cable Type	RIBBON / INTERNAL
INPUT	
Cable Length (in.)	6
UPC Codes	
Unit Carton UPC#	037332013699
PHYSICAL	
Color	Black, Yellow & Red
Style	Ribbon & Internal Cables

## CONNECTIONS

Connector A



4 PIN (INTERNAL)

Connector B



4 PIN (FEMALE)

## WARRANTY

Product Warranty Period  
(Worldwide)

Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">P906-18I</a>	18-inch Internal Dual Ultra 33/66/100 ATA/DMA EIDE Ribbon Cable, (3Conn 40P)	1
<a href="#">P906-24I</a>	24-inch Internal Dual Ultra 33/66/100 ATA/DMA EIDE Ribbon Cable, (3Conn 40P)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?variables.txtModelID=2339](http://www.tripplite.com/en/products/model.cfm?variables.txtModelID=2339).

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.