


HC-D 50-AMQ

Order No.: 1775868

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1775868>HEAVYCON panel mounting base B50, with double locking latch,
height 28 mm

Commercial data

GTIN (EAN)	 4 017918 038410
sales group	D011
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 515 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
02/17/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	For contact inserts HC-D25, A16/A32
Design	D50
Height	28 mm
Width	57 mm
Length	102 mm

Housing type	Panel mounting base, straight
Locking type	With double locking latch
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Material lock	Steel, galvanized
Length of the assembly cutout	76 mm
Width of the assembly cutout	48 mm

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;